



MEDICAL ISOTOPES, Inc.

100 Bridge Street, Pelham, NH 03076, USA

Tel: (603) 635-2255 Toll Free: (800) 374-9513 Fax: (603) 635-2448

E-mail: info@medicalisotopes.com Internet: www.medicalisotopes.com

SAFETY DATA SHEET

SECTION 1. Identification

Product:

Product Name: Nickel-64

Catalog number: 1615

Supplier:

Medical Isotopes, Inc.

100 Bridge Street

Pelham, NH 03076 USA

Tel: +1-603-635-2255 Fax: +1-603-635-2448

Email: info@medicalisotopes.com

Suitability:

For laboratory use only.

Emergency Contact Information:

Call Chemtrec 24/7

DOMESTIC NORTH AMERICA 800-424-9300

INTERNATIONAL, CALL 703-527-3887 (collect calls accepted)

SECTION 2. Hazard(s) identification

Hazard classification:

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable solids (Category 2), H228

Skin sensitisation (Category 1), H317

Carcinogenicity (Category 2), H351

Specific target organ toxicity - repeated exposure, Inhalation (Category 1), H372

Acute aquatic toxicity (Category 1), H400

Chronic aquatic toxicity (Category 1), H410

Signal Word:

Danger

Hazard Statements:

H228 Flammable solid.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

Pictogram:

N/A

Precautionary Statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P391 Collect spillage.



MEDICAL ISOTOPES, Inc.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards:

None

SECTION 3. Composition/Information on Ingredients

Chemical name:

Nickel-64

Synonyms:

N/A

CAS number:

7440-02-0

Impurities/Additives:

N/A

SECTION 4. FIRST AID MEASURES

Skin Contact: Wash with soap and water for several minutes. Consult a physician.

Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Inhalation: Remove from exposure and move to fresh air immediately. Consult a physician.

Eye Contact: Rinse thoroughly with plenty of water. Consult a physician.

SECTION 5. FIRE FIGHTING MEASURES

Suitable extinguishing media

Use water spray, foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self-contained breathing apparatus for fire-fighting if necessary.

Hazardous combustion products: N/A

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Make sure to wear appropriate protective equipment as listed in section 8. Avoid breathing dust, vapors, or mists.

Spill Clean-up Methods: Clean up spills immediately, observing precautions in the Protective Equipment section.

Cover with a non-combustible material (e.g. sand, earth, diatomaceous earth), sweep up, and place into a suitable container for disposal. Avoid breathing the resulting dust.

SECTION 7. HANDLING & STORAGE

Usage/Handling Precautions: Make sure to wear appropriate PPE as listed in section 8. Avoid contact with skin and eyes.

Storage Conditions: Keep tightly closed in a dry and well-ventilated place. Store at room temperature.

SECTION 8. EXPOSURE CONTROL / PERSONAL PROTECTION

Engineering Controls: Use fumehood if available.

Personal Protective Equipment

Eyes: Always wear safety glasses when working with chemicals. Wear chemical goggles when working with liquids.

Skin: Wear protective gloves and a lab coat to prevent skin exposure.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Solid

Odor: N/A

pH: N/A

Melting Point: N/A

Water Solubility (%): N/A

Flash Point (°C): N/A

Vapor pressure: N/A

Autoignition Temperature (°C): N/A

Flammability Limits in Air (% by Vol.): N/A

SECTION 10. STABILITY & REACTIVITY



MEDICAL ISOTOPES, Inc.

Reactivity: N/A

Chemical Stability: Stable under recommended storage conditions

Conditions to Avoid: Strong oxidizing agents.

SECTION 11. TOXICOLOGICAL INFORMATION

Inhalation: LC50 Inhalation –N/A

Ingestion: N/A

Skin and eye contact: N/A

Other: N/A

SECTION 12. ECOLOGICAL INFORMATION

Toxicity to fish LC50 - Cyprinus carpio (Carp) - 1.3 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water flea) - 1 mg/l - 48 h

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Procedures: Via licensed disposal company. Dispose of according to federal, state/province and local regulations.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

UN number: 3089 Class: 4.1 Packing group: II

Proper shipping name: Metal powders, flammable, n.o.s.

Reportable Quantity (RQ): 100 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 3089 Class: 4.1 Packing group: II EMS-No: F-G, S-G

Proper shipping name: METAL POWDER, FLAMMABLE, N.O.S.

IATA

UN number: 3089 Class: 4.1 Packing group: II

Proper shipping name: Metal powder, flammable, n.o.s.

SECTION 15. REGULATORY INFORMATION

N/A

SECTION 16. OTHER INFORMATION

Preparation information: Last revised on 05/31/17

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. MEDICAL ISOTOPES, INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.