

100 Bridge Street, Pelham, NH 03076, USA Tel: (603) 635-2255 Toll Free: (800) 374-9513 Fax: (603) 635-2448 E-mail: <u>info@medicalisotopes.com</u> Internet: <u>www.medicalisotopes.com</u>

SAFETY DATA SHEET

For laboratory use only. ECTION 2. Hazard(s) identification Hazard classification: Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Signal Word: Danger Hazard Statements: H314 Causes severe skin burns and eye damage. Pictogram: Precautionary Statements: P264 Wash skin thoroughly after handling. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Catalog number: D138 Supplier: Medical Isotopes, Inc. 100 Bridge Street Pelham, NH 03076 USA Tel: +1-603-635-2255 Fax: +1-603-635-2448 Email: info@medicalisotopes.com Suitability: For laboratory use only. ECTION 2. Hazard(s) identification Hazard classification: Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Signal Word: Danger Hazard Statements: H314 Causes severe skin burns and eye damage. Pictogram: P264 Wash skin thoroughly after handling. P264 Wash skin thoroughly after handling. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Supplier: Medical Isotopes, Inc. 100 Bridge Street Pelham, NH 03076 USA Tel: +1-603-635-2255 Fax: +1-603-635-2448 Email: info@medicalisotopes.com Suitability: For laboratory use only. SCTION 2. Hazard(s) identification Hazard classification: Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Signal Word: Danger Hazard Statements: H314 Causes severe skin burns and eye damage. Pictogram: Pictogram: P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Medical Isotopes, Inc. 100 Bridge Street Pelham, NH 03076 USA Tel: +1-603-635-2255 Fax: +1-603-635-2448 Email: info@medicalisotopes.com Suitability: For laboratory use only. <u>ScTION 2. Hazard(s) identification</u> Hazard classification: Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Signal Word: Danger Hazard Statements: H314 Causes severe skin burns and eye damage. Pictogram: Precautionary Statements: P264 Wash skin thoroughly after handling. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
100 Bridge Street Pelham, NH 03076 USA Tel: +1-603-635-2255 Fax: +1-603-635-2448 Email: info@medicalisotopes.com Suitability: For laboratory use only. CTION 2. Hazard(s) identification Hazard classification: Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Signal Word: Danger Hazard Statements: H314 Causes severe skin burns and eye damage. Pictogram: Precautionary Statements: P264 Wash skin thoroughly after handling. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Pelham, NH 03076 USA Tel: +1-603-635-2255 Fax: +1-603-635-2448 Email: info@medicalisotopes.com Suitability: For laboratory use only. ECTION 2. Hazard(s) identification Hazard classification: Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Signal Word: Danger Hazard Statements: H314 Causes severe skin burns and eye damage. Pictogram: Precautionary Statements: P264 Wash skin thoroughly after handling. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Tel: +1-603-635-2255 Fax: +1-603-635-2448 Email: info@medicalisotopes.com Suitability: For laboratory use only. ECTION 2. Hazard(s) identification Hazard classification: Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Signal Word: Danger Hazard Statements: H314 Causes severe skin burns and eye damage. Pictogram: Pictogram: Precautionary Statements: P264 Wash skin thoroughly after handling. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Email: info@medicalisotopes.com Suitability: Email: info@medicalisotopes.com For laboratory use only. ECTION 2. Hazard(s) identification Hazard classification: Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Signal Word: Danger Hazard Statements: H314 Causes severe skin burns and eye damage. Pictogram: Precautionary Statements: P264 Wash skin thoroughly after handling. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Suitability: For laboratory use only. ECTION 2. Hazard(s) identification Hazard classification: Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Signal Word: Danger Hazard Statements: H314 Causes severe skin burns and eye damage. Pictogram: Precautionary Statements: P264 Wash skin thoroughly after handling. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
For laboratory use only. ECTION 2. Hazard(s) identification Hazard classification: Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Signal Word: Danger Danger Hazard Statements: H314 Causes severe skin burns and eye damage. Pictogram: Precautionary Statements: P264 Wash skin thoroughly after handling. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Hazard classification: Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Signal Word: Danger Hazard Statements: H314 Causes severe skin burns and eye damage. Pictogram: Precautionary Statements: P264 Wash skin thoroughly after handling. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Hazard classification: Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Signal Word: Danger Hazard Statements: H314 Causes severe skin burns and eye damage. Pictogram: Pictogram: Precautionary Statements: P264 Wash skin thoroughly after handling. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Signal Word: Danger Hazard Statements: H314 Causes severe skin burns and eye damage. Pictogram: Precautionary Statements: P264 Wash skin thoroughly after handling. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Serious eye damage (Category 1), H318 Signal Word: Danger Hazard Statements: H314 Causes severe skin burns and eye damage. Pictogram: Precautionary Statements: P264 Wash skin thoroughly after handling. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Signal Word: Danger Hazard Statements: H314 Causes severe skin burns and eye damage. Pictogram: Precautionary Statements: P264 Wash skin thoroughly after handling. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Danger Hazard Statements: H314 Causes severe skin burns and eye damage. Pictogram: Precautionary Statements: P264 Wash skin thoroughly after handling. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Hazard Statements: H314 Causes severe skin burns and eye damage. Pictogram: Precautionary Statements: P264 Wash skin thoroughly after handling. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
H314 Causes severe skin burns and eye damage. Pictogram: Precautionary Statements: P264 Wash skin thoroughly after handling. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Pictogram: Precautionary Statements: P264 Wash skin thoroughly after handling. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Precautionary Statements: P264 Wash skin thoroughly after handling. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P264 Wash skin thoroughly after handling. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Other hazards:
Other hazards: None

SECTION 4. FIRST AID MEASURES

Skin Contact: Wash with soap and water for several minutes. Consult a physician. **Ingestion**: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. **Inhalation**: Remove from exposure and move to fresh air immediately. Consult a physician. **Eye Contact:** Rinse thoroughly with plenty of water. Consult a physician.

SECTION 5. FIRE FIGHTING MEASURES

Suitable extinguishing media Use water spray, foam, dry chemical or carbon dioxide. Special protective equipment for firefighters



Wear self contained breathing apparatus for fire-fighting if necessary. **Hazardous combustion products:** Carbon oxides.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Make sure to wear appropriate protective equipment as listen in section 8. Avoid breathing dust, vapors, or mists.

Spill Clean-up Methods: Clean up spills immediately, observing precautions in the Protective Equipment section. Cover with a non-combustible material (e.g. sand, earth, diatomaceous earth), sweep up, and place into a suitable container for disposal. Avoid breathing the resulting dust.

SECTION 7. HANDLING & STORAGE

Usage/Handling Precautions: Make sure to wear appropriate PPE as listed in section 8. Avoid contact with skin and eyes.

Storage Conditions: Keep tightly closed in a dry and well-ventilated place. Store at room temperature. Store under inert gas.

SECTION 8. EXPOSURE CONTROL / PERSONAL PROTECTION

Engineering Controls: Use fumehood if available.

Personal Protective Equipment

Eyes: Always wear safety glasses when working with chemicals. Wear chemical goggles when working with liquids. Skin: Wear protective gloves and a lab coat to prevent skin exposure.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, Light-Yellow, Viscous Liquid Odor: N/A pH: N/A Melting Point: 16 °C Water Solubility (%): N/A Flash Point (°C): 110 Vapor pressure: N/A Autoignition Temperature (°C): N/A Flammability Limits in Air (% by Vol.): N/A

SECTION 10. STABILITY & REACTIVITY

Reactivity: N/A **Chemical Stability:** Stable under recommended storage conditions **Conditions to Avoid:** Strong oxidizing agents.

SECTION 11. TOXICOLOGICAL INFORMATION

Inhalation: N/A Ingestion: N/A Skin and eye contact: N/A Other: N/A

SECTION 12. ECOLOGICAL INFORMATION

N/A

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Procedures: Via licensed disposal company. Dispose of according to federal, state/province and local regulations.

SECTION 14. TRANSPORT INFORMATION

IATA UN number: 3265 Class: 8 Packing group: III Proper shipping name: Corrosive liquid, acidic, organic, n.o.s. (Octanoic acid-8,8,8-d3)

SECTION 15. REGULATORY INFORMATION



SECTION 16. OTHER INFORMATION

Preparation information: Last revised on 6/25/2015.

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. MEDICAL ISOTOPES, INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.