

MEDICAL ISOTOPES, Inc.

100 Bridge Street, Pelham, NH03076, USA

Tel: (603) 635-2255 Toll Free: (800) 374-9513 Fax: (603) 635-2448 E-mail: info@medicalisotopes.com Internet: www.medicalisotopes.com

SAFETY DATA SHEET

SECTION 1. Identification

Product:

Product Name: Vitamin E 5,7,8-d9

Catalog number: D3413

Supplier:

Medical Isotopes, Inc. 100 Bridge Street Pelham, NH 03076 USA

Tel: +1-603-635-2255 Fax: +1-603-635-2448

Email: info@medicalisotopes.com

Suitability:

For laboratory use only.

Emergency Contact Information:

Call Infotrac 24/7

DOMESTIC NORTH AMERICA 1-800-535-5053 (United States, Canada, Mexico)

INTERNATIONAL, CALL 1-352-323-3500

SECTION 2. Hazard(s) identification

Hazard classification:

Skin sensitization (Category 1), H317.

Signal Word:

Warning

Hazard Statements:

H317 May cause an allergic skin reaction.

Pictogram:



Precautionary Statements:

P261 Avoid breathing mist or vapors.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards:

None

SECTION 3. Composition/Information on Ingredients

Chemical name:

Vitamin E 5,7,8-d9

Synonyms:

N/A

CAS number:

N/A

Impurities/Additives:

N/A

SECTION 4. FIRST AID MEASURES

Skin Contact: Wash with soap and water for several minutes. Consult a physician.

Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Inhalation: Remove from exposure and move to fresh air immediately. Consult a physician.

Eye Contact: Rinse thoroughly with plenty of water. Consult a physician.



MEDICAL ISOTOPES, Inc.

SECTION 5. FIRE FIGHTING MEASURES

Suitable extinguishing media

Use water spray, foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire-fighting if necessary.

Hazardous combustion products: Carbon oxides.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Make sure to wear appropriate protective equipment as listen in section 8. Avoid breathing dust, vapors, or mists.

Spill Clean-up Methods: Clean up spills immediately, observing precautions in the Protective Equipment section. Cover with a non-combustible material (e.g. sand, earth, diatomaceous earth), sweep up, and place into a suitable container for disposal. Avoid breathing the resulting dust.

SECTION 7. HANDLING & STORAGE

Usage/Handling Precautions: Make sure to wear appropriate PPE as listed in section 8. Avoid contact with skin and

Storage Conditions: Store at -20°C.

SECTION 8. EXPOSURE CONTROL / PERSONAL PROTECTION

Engineering Controls: Use fumehood if available.

Personal Protective Equipment

Eyes: Always wear safety glasses when working with chemicals. Wear chemical goggles when working with liquids. Skin: Wear protective gloves and a lab coat to prevent skin exposure.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Brown oily liquid.

Odor: N/A pH: N/A

Melting Point: N/A Water Solubility (%): N/A Flash Point (°C): N/A Vapor pressure: N/A

Autoignition Temperature (°C): N/A Flammability Limits in Air (% by Vol.): N/A

SECTION 10. STABILITY & REACTIVITY

Reactivity: N/A

Chemical Stability: Stable under recommended storage conditions

Conditions to Avoid: Strong oxidizing agents.

SECTION 11. TOXICOLOGICAL INFORMATION

Inhalation: N/A

Ingestion: LD50 Oral, rat, >4,000 mg/kg.

Skin and eye contact: LD50 Dermal, rat, >3,000 mg/kg.

Other: N/A

SECTION 12. ECOLOGICAL INFORMATION

Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 100 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates - static test EC50 - Daphnia magna (Water flea) - > 23.53 mg/l - 48 h

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green algae) - > 25.8 mg/l - 72 h

Toxicity to bacteria static test EC20 - activated sludge - > 927 mg/l - 30 min

Toxicity to fish(Chronic toxicity) semi-static test - Oncorhynchus mykiss (rainbow trout) - > 100 mg/l

Biodegradability aerobic - Exposure time 28 d, Result: 20 % - Not readily biodegradable.

SECTION 13. DISPOSAL CONSIDERATIONS

SDS Page 2 of 3



MEDICAL ISOTOPES, Inc.

Disposal Procedures: Via licensed disposal company. Dispose of according to federal, state/province and local regulations.

SECTION 14. TRANSPORT INFORMATION

Not dangerous goods.

SECTION 15. REGULATORY INFORMATION

N/A

SECTION 16. OTHER INFORMATION

Preparation information: Last revised on 4/5/2023.

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. MEDICAL ISOTOPES, INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.

SDS Page 3 of 3