

MEDICAL ISOTOPES, Inc.

100 Bridge Street, Pelham, NH 03076, USA

Tel: (603) 635-2255 Toll Free: (800) 374-9513 Fax: (603) 635-2448 E-mail: info@medicalisotopes.com Internet: www.medicalisotopes.com

SAFETY DATA SHEET

SECTION 1. Identification

Product:

Product Name: L-Thyroxine-[L-Tyr-ring-13C6] hydrochloride

Catalog number: C18024

Supplier:

Medical Isotopes, Inc. 100 Bridge Street Pelham, NH 03076 USA

Tel: +1-603-635-2255 Fax: +1-603-635-2448

Email: info@medicalisotopes.com

Suitability:

For laboratory use only.

Emergency Contact Information:

Call Chemtrec 24/7

DOMESTIC NORTH AMERICA 800-424-9300

INTERNATIONAL, CALL 703-527-3887 (collect calls accepted)

SECTION 2. Hazard(s) identification

Hazard classification:

Not a hazardous substance or mixture.

Signal Word:

N/A

Hazard Statements:

Not a hazardous substance or mixture.

Pictogram:

N/A

Precautionary Statements:

Not a hazardous substance or mixture.

Other hazards:

None

SECTION 3. Composition/Information on Ingredients

Chemical name:

L-Thyroxine-[L-Tyr-ring-13C₆] hydrochloride

Synonyms:

N/A

CAS number:

720710-30-5

Impurities/Additives:

N/A

SECTION 4. FIRST AID MEASURES

Skin Contact: Wash with soap and water for several minutes. Consult a physician.

Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Inhalation: Remove from exposure and move to fresh air immediately. Consult a physician.

Eye Contact: Rinse thoroughly with plenty of water. Consult a physician.

SECTION 5. FIRE FIGHTING MEASURES

Suitable extinguishing media

Use water spray, foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire-fighting if necessary.

Hazardous combustion products: Carbon oxides, nitrogen oxides, hydrogen chloride, hydrogen iodide.



MEDICAL ISOTOPES, Inc.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Make sure to wear appropriate protective equipment as listen in section 8. Avoid breathing dust, vapors, or mists.

Spill Clean-up Methods: Clean up spills immediately, observing precautions in the Protective Equipment section. Cover with a non-combustible material (e.g. sand, earth, diatomaceous earth), sweep up, and place into a suitable container for disposal. Avoid breathing the resulting dust.

SECTION 7. HANDLING & STORAGE

Usage/Handling Precautions: Make sure to wear appropriate PPE as listed in section 8. Avoid contact with skin and eyes

Storage Conditions: Store at -20°C. Light sensitive.

SECTION 8. EXPOSURE CONTROL / PERSONAL PROTECTION

Engineering Controls: Use fumehood if available.

Personal Protective Equipment

Eyes: Always wear safety glasses when working with chemicals. Wear chemical goggles when working with liquids.

Skin: Wear protective gloves and a lab coat to prevent skin exposure.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White Solid

Odor: N/A pH: N/A

Melting Point: N/A Water Solubility (%): N/A Flash Point (°C): N/A Vapor pressure: N/A

Autoignition Temperature (°C): N/A Flammability Limits in Air (% by Vol.): N/A

SECTION 10. STABILITY & REACTIVITY

Reactivity: N/A

Chemical Stability: Stable under recommended storage conditions

Conditions to Avoid: Strong oxidizing agents.

SECTION 11. TOXICOLOGICAL INFORMATION

Inhalation: N/A Ingestion: N/A

Skin and eye contact: N/A

Other: N/A

SECTION 12. ECOLOGICAL INFORMATION

N/A

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Procedures: Via licensed disposal company. Dispose of according to federal, state/province and local regulations.

SECTION 14. TRANSPORT INFORMATION

Not dangerous goods.

SECTION 15. REGULATORY INFORMATION

N/A

SDS Page 2 of 3



MEDICAL ISOTOPES, Inc.

SECTION 16. OTHER INFORMATION

Preparation information: Last revised on 3/23/2018.

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. MEDICAL ISOTOPES, INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.

SDS Page 3 of 3