100 Bridge Street, Pelham, NH 03076, USA

Tel: (603) 635-2255 Toll Free: (800) 374-9513 Fax: (603) 635-2448 E-mail: info@medicalisotopes.com Internet: www.medicalisotopes.com

SAFETY DATA SHEET

SECTION 1. Identification

Product:

Product Name: Adipic Acid-13C6

Catalog number:

Supplier:

Medical Isotopes, Inc. 100 Bridge Street Pelham, NH 03076 USA

Tel: +1-603-635-2255 Fax: +1-603-635-2448

Email: info@medicalisotopes.com

Suitability:

For laboratory use only.

Emergency Contact Information:

Call Chemtrec 24/7

DOMESTIC NORTH AMERICA 800-424-9300

INTERNATIONAL, CALL 703-527-3887 (collect calls accepted)

SECTION 2. Hazard(s) identification

Hazard classification:

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Eye irritation (Category 2A), H319

Acute aquatic toxicity (Category 3), H402

Signal Word:

Warning

Hazard Statements:

H319 Causes serious eye irritation.

H402 Harmful to aquatic life.

Pictogram:

N/A

Precautionary Statements:

P264 Wash skin thoroughly after handling. P273 Avoid release to the environment. P280 Wear eye protection/ face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards:

Combustible Dust

SECTION 3. Composition/Information on Ingredients

Chemical name:

Adipic Acid-13C6

Synonyms:

N/A

CAS number:

Impurities/Additives:

N/A

SECTION 4. FIRST AID MEASURES

Skin Contact: Wash with soap and water for several minutes. Consult a physician.

Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Inhalation: Remove from exposure and move to fresh air immediately. Consult a physician.

Eye Contact: Rinse thoroughly with plenty of water. Consult a physician.



MEDICAL ISOTOPES, Inc.

SECTION 5. FIRE FIGHTING MEASURES

Suitable extinguishing media

Use water spray, foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self-contained breathing apparatus for fire-fighting if necessary.

Hazardous combustion products: Carbon oxides.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Make sure to wear appropriate protective equipment as listen in section 8. Avoid breathing dust, vapors, or mists.

Spill Clean-up Methods: Clean up spills immediately, observing precautions in the Protective Equipment section. Cover with a non-combustible material (e.g. sand, earth, diatomaceous earth), sweep up, and place into a suitable container for disposal. Avoid breathing the resulting dust.

SECTION 7. HANDLING & STORAGE

Usage/Handling Precautions: Make sure to wear appropriate PPE as listed in section 8. Avoid contact with skin and eyes.

Storage Conditions: Keep tightly closed in a dry and well-ventilated place. Store at room temperature.

SECTION 8. EXPOSURE CONTROL / PERSONAL PROTECTION

Engineering Controls: Use fumehood if available.

Personal Protective Equipment

Eyes: Always wear safety glasses when working with chemicals. Wear chemical goggles when working with liquids. Skin: Wear protective gloves and a lab coat to prevent skin exposure.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White Solid

Odor:N/A pH: N/A

Melting Point:N/A Water Solubility (%): N/A Flash Point (°C):N/A Vapor pressure: N/A

(OECD Test Guideline 403)

Autoignition Temperature (°C):N/A Flammability Limits in Air (% by Vol.):N/A

SECTION 10. STABILITY & REACTIVITY

Reactivity: N/A

Chemical Stability: Stable under recommended storage conditions

Conditions to Avoid: Strong oxidizing agents.

SECTION 11. TOXICOLOGICAL INFORMATION

LD50 Oral - Rat - male and female - 5,560 mg/kg (OECD Test Guideline 401)

LC0 Inhalation - Rat - male and female - 4 h - > 7.7 mg/l

LD0 Dermal - Rabbit - male and female - 7,940 mg/kg

Other:N/A

SECTION 12. ECOLOGICAL INFORMATION

Toxicity to fish static test LC0 - Brachydanio rerio (zebrafish) - >= 1,000 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates Immobilization LC50 - Daphnia magna (Water flea) - 46 mg/l - 48 h (OECD Test Guideline 202)

SDS Page 2 of 3



MEDICAL ISOTOPES, Inc.

Toxicity to algae static test EC50 - Pseudokirchneriella subcapitata (algae) - 59 mg/l - 72 h (OECD Test Guideline 201)

Toxicity to bacteria Respiration inhibition EC50 - Sludge Treatment - 7,910 mg/l - 3 h (OECD Test Guideline 209)

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Procedures: Via licensed disposal company. Dispose of according to federal, state/province and local regulations.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substances, solid, n.o.s. (Adipic acid)

Reportable Quantity (RQ): 5000 lbs

IMDG

Not dangerous goods

IATA

Not dangerous goods.

SECTION 15. REGULATORY INFORMATION

N/A

SECTION 16. OTHER INFORMATION

Preparation information: Last revised on 05/24/17

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. MEDICAL ISOTOPES, INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.

SDS Page 3 of 3