



MEDICAL ISOTOPES, Inc.

100 Bridge Street, Pelham, NH 03076, USA
Tel: (603) 635-2255 Toll Free: (800) 374-9513 Fax: (603) 635-2448
E-mail: info@medicalisotopes.com Internet: www.medicalisotopes.com

SAFETY DATA SHEET

SECTION 1. Identification

Product:

Product Name: Caffeine-d3 (1-methyl-d3)
Catalog number: D3190

Supplier:

Medical Isotopes, Inc.
100 Bridge Street
Pelham, NH 03076 USA
Tel: +1-603-635-2255 Fax: +1-603-635-2448
Email: info@medicalisotopes.com

Suitability:

For laboratory use only.

Emergency Contact Information:

Call Infotrac 24/7
DOMESTIC NORTH AMERICA 1-800-535-5053 (United States, Canada, Mexico)
INTERNATIONAL, CALL 1-352-323-3500

SECTION 2. Hazard(s) identification

Hazard classification:

Acute toxicity, Oral (Category 4), H302
Short-term (acute) aquatic hazard (Category 3), H402

Signal Word:

Warning

Hazard Statements:

H302 Harmful if swallowed.
H402 Harmful to aquatic life.

Pictogram:



Precautionary Statements:

P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards:

None

SECTION 3. Composition/Information on Ingredients

Chemical name:

Caffeine-d3

Synonyms:

N/A

CAS number:

26351-03-1

Impurities/Additives:

N/A

SECTION 4. FIRST AID MEASURES

Skin Contact: Wash with soap and water for several minutes. Consult a physician.

Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Inhalation: Remove from exposure and move to fresh air immediately. Consult a physician.

Eye Contact: Rinse thoroughly with plenty of water. Consult a physician.



SECTION 5. FIRE FIGHTING MEASURES

Suitable extinguishing media

Use water spray, foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self-contained breathing apparatus for fire-fighting if necessary.

Hazardous combustion products: Carbon oxides, nitrogen oxides.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Make sure to wear appropriate protective equipment as listed in section 8. Avoid breathing dust, vapors, or mists.

Spill Clean-up Methods: Clean up spills immediately, observing precautions in the Protective Equipment section.

Cover with a non-combustible material (e.g. sand, earth, diatomaceous earth), sweep up, and place into a suitable container for disposal. Avoid breathing the resulting dust.

SECTION 7. HANDLING & STORAGE

Usage/Handling Precautions: Make sure to wear appropriate PPE as listed in section 8. Avoid contact with skin and eyes.

Storage Conditions: Keep tightly closed in a dry and well-ventilated place. Store at room temperature.

SECTION 8. EXPOSURE CONTROL / PERSONAL PROTECTION

Engineering Controls: Use fumehood if available.

Personal Protective Equipment

Eyes: Always wear safety glasses when working with chemicals. Wear chemical goggles when working with liquids.

Skin: Wear protective gloves and a lab coat to prevent skin exposure.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White powder

Odor: N/A

pH: N/A

Melting Point: N/A

Water Solubility (%): N/A

Flash Point (°C): N/A

Vapor pressure: N/A

Autoignition Temperature (°C): N/A

Flammability Limits in Air (% by Vol.): N/A

SECTION 10. STABILITY & REACTIVITY

Reactivity: N/A

Chemical Stability: Stable under recommended storage conditions

Conditions to Avoid: Strong oxidizing agents.

SECTION 11. TOXICOLOGICAL INFORMATION

Inhalation: LC50 rat 4.94 mg/l

Ingestion: LD50 Oral rat 367.7 mg/kg

Skin and eye contact: LD50 Dermal rat >2,000 mg/kg

Other: N/A

SECTION 12. ECOLOGICAL INFORMATION

Toxicity to fish:

static test LC50 - *Leuciscus idus* (Golden orfe) - ca. 87 mg/l - 96 h (DIN 38412 part 15)

static test NOEC - *Leuciscus idus* (Golden orfe) - 46 mg/l - 96 h (DIN 38412 part 15)

Toxicity to daphnia and other aquatic invertebrates:

static test EC50 - *Daphnia magna* (Water flea) - 182 mg/l - 48 h (DIN 38412)

Toxicity to algae:

static test ErC50 - *Desmodesmus subspicatus* (green algae) - > 100 mg/l - 72 h (OECD Test Guideline 201)

static test NOEC - *Desmodesmus subspicatus* (green algae) - 6.25 mg/l - 72 h (OECD Test Guideline 201)



MEDICAL ISOTOPES, Inc.

Toxicity to bacteria:

EC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209)

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Procedures: Via licensed disposal company. Dispose of according to federal, state/province and local regulations.

SECTION 14. TRANSPORT INFORMATION

Not dangerous goods.

SECTION 15. REGULATORY INFORMATION

N/A

SECTION 16. OTHER INFORMATION

Preparation information: Last revised on 07/06/2022.

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. MEDICAL ISOTOPES, INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.